



NxGen Bio Med
support@nxgenbiomedical.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

GLOW-70
5XAS-VTZC
05/28/2026
06/02/2026



 DECLARED IDENTITY GHK-Cu, BPC-157, TB500 (17-23 Fragment)

 MATRIX TYPE: PEPTIDE BLEND

 SAMPLE NAME: GLOW-70

 SAMPLE SIZE: 70.0 mg

 LOT CODE: ARC-GL70-003




64.68 mg
Total Quantity



99.87%
Total Blend Purity

Sample	Test	Specification	Result	Status
Peptide Blend	IDENTITY	GHK-Cu, BPC-157, TB500 (17-23 Fragment)	GHK-Cu, BPC-157, TB500 (17-23 Fragment)	CONFORMS
Peptide Blend	QUANTITY	MEASURE	64.68 mg	MEASURED
Peptide Blend	PURITY	> 98.0%	99.87%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
06/02/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
06/02/2026

ACCUMARKLABS.COM
5XAS-VTZC
06/02/2026





NxGen Bio Med
support@nxgenbiomedical.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

GLOW-70
5XAS-VTZC
05/28/2026
06/02/2026

Sample	Test	Specification	Result	Status
Peptide Blend	Endotoxin (LAL)	< 5.0 EU/mL	Pass	CONFORMS
Peptide Blend	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

Analyte	Test	Specification	Result	Status
GHK-Cu	IDENTITY	GHK-Cu	GHK-Cu	CONFORMS
GHK-Cu	QUANTITY	MEASURE	46.8 mg	MEASURED
GHK-Cu	PURITY	> 98.0%	99.91%	CONFORMS
BPC-157	IDENTITY	BPC-157	BPC-157	CONFORMS
BPC-157	QUANTITY	MEASURE	8.55 mg	MEASURED
BPC-157	PURITY	> 98.0%	99.75%	CONFORMS
TB500 (17-23 Fragment)	IDENTITY	TB500 (17-23 Fragment)	TB500 (17-23 Fragment)	CONFORMS
TB500 (17-23 Fragment)	QUANTITY	MEASURE	9.34 mg	MEASURED
TB500 (17-23 Fragment)	PURITY	> 98.0%	99.78%	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
06/02/2026


Dr. Levi Fried MD
Lab Director
06/02/2026

ACCUMARKLABS.COM
5XAS-VTZC
06/02/2026

