



NxGen Bio Med
support@nxgenbiomedical.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

MT-2
C3ZH-PKJL
03/06/2026
03/16/2026



DECLARED IDENTITY	Melanotan II
MATRIX TYPE:	PEPTIDE
SAMPLE NAME:	MT-2
SAMPLE SIZE:	10.0 mg
LOT CODE:	MT20001




12.22 mg
Total Quantity



99.894%
Total Blend Purity

Sample	Test	Specification	Result	Status
Melanotan II	IDENTITY	Melanotan II	Melanotan II	CONFORMS
Melanotan II	QUANTITY	MEASURE	12.22 mg	MEASURED
Melanotan II	PURITY	> 98.0%	99.894%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
03/16/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
03/16/2026

ACCUMARKLABS.COM
C3ZH-PKJL
03/16/2026





NxGen Bio Med
support@nxgenbiomedical.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

MT-2
C3ZH-PKJL
03/06/2026
03/16/2026

Sample	Test	Specification	Result	Status
Melanotan II	Endotoxin (LAL)	< 5.0 EU/mL	Pass	CONFORMS
Melanotan II	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
03/16/2026


Dr. Levi Fried MD
Lab Director
03/16/2026

ACCUMARKLABS.COM
C3ZH-PKJL
03/16/2026

